ELSEVIER

Wear 222 (1998) 147

WEAR

Author Index of Volume 222

Avdeev, N.N., 21

Bishop, D.P., 84
Borruto, A., 57

Caley, W.F., 84
Cao, L., 135
Cheng, J., 1
Corbett, J., 67
Crivellone, G., 57

Danninger, H., 49

Gåhlin, R., 93
Gao, Y., 129
Goodwin, A.J., 103

Holmberg, K., 120

Jacobson, S., 93

Keller, T.S., 29
Kim, J.J., 114
Kotomin, S.V., 21
Kwan, Y.B.P., 67

Li, X.Y., 84
Lotito, M.A., 29

Marani, F., 57

Papini, M., 38
Park, S.K., 114

Ronkainen, H., 120

Santner, E., 74
Schöfer, J., 74
Shen, G., 135
Spelt, J.K., 38
Sun, T., 135

Tandon, K.N., 84

Varjus, S., 120

Walton, D., 103
Wan, Y., 135
Wang, J., 49
Wu, Z., 129

Xu, X., 135
Xue, Q., 129

Yang, Z.Y., 1
Young, S.K., 29
Yue, Q., 135

Zhang, Z., 129
Zheng, Z., 135

Elsevier Science S.A.

ELSEVIER

Wear 222 (1998) 149–150

WEAR

Subject Index of Volume 222

Aerostatic bearing
Porous aerostatic bearings–an updated review, 69
Aluminum
Dry sliding wear behaviour of aluminum alloy 2014 microalloyed with Sn and Ag, 84
Antiwear
Study on tribological properties of 2,5-dialkoxymethylthio-1,3,4-thiadiazoles, 129
Artificial joints
Friction reduction in total joint arthroplasty, 29
Atomic force microscopy (AFM)
Quantitative wear analysis using atomic force microscopy, 74

Blast cleaning
The plowing erosion of organic coatings by spherical particles, 38
Borate ester
Synthesis, hydrolytic stability and tribological properties of novel borate esters containing nitrogen as lubricant additives, 135

a-C
Friction and wear properties in dry, water- and oil-lubricated DLC against alumina and DLC against steel contacts, 120
a-C:H
Friction and wear properties in dry, water- and oil-lubricated DLC against alumina and DLC against steel contacts, 120
Coatings
The plowing erosion of organic coatings by spherical particles, 38
The wear of unlubricated metallic spur gears, 103
Collisions
The plowing erosion of organic coatings by spherical particles, 38
Condition monitoring
Fuzzy synthetic decision-making system in ferrographic analysis, 1
Coordination
Synthesis, hydrolytic stability and tribological properties of novel borate esters containing nitrogen as lubricant additives, 135

Debris group
Fuzzy synthetic decision-making system in ferrographic analysis, 1
Diffusion
Dry sliding wear behaviour of aluminum alloy 2014 microalloyed with Sn and Ag, 84
Distribution map of wear
A novel method to map and quantify wear on a micro-scale, 93
DLC
Friction and wear properties in dry, water- and oil-lubricated DLC against alumina and DLC against steel contacts, 120

EPMA analysis
Study on tribological properties of 2,5-dialkoxymethylthio-1,3,4-thiadiazoles, 129
Erosion
The plowing erosion of organic coatings by spherical particles, 38

Extreme pressure
Study on tribological properties of 2,5-dialkoxymethylthio-1,3,4-thiadiazoles, 129

Ferrography
Fuzzy synthetic decision-making system in ferrographic analysis, 1
Filament
Macromodel approach to experimental study of polymer brushes rubbing, 21
Fracture
Solid particle erosion of SiC and SiC–TiB_2 composite hot-pressed with Y_2O_3, 114
Friction
Macromodel approach to experimental study of polymer brushes rubbing, 21
Fuzzy mathematics
Fuzzy synthetic decision-making system in ferrographic analysis, 1

Hydrolysis
Synthesis, hydrolytic stability and tribological properties of novel borate esters containing nitrogen as lubricant additives, 135
Hydrophillic
Influence of surface wettability on friction and wear tests, 57
Hydrophobic
Influence of surface wettability on friction and wear tests, 57

Interpenetration
Macromodel approach to experimental study of polymer brushes rubbing, 21

Local wear volume
A novel method to map and quantify wear on a micro-scale, 93
Lubricant additive
Synthesis, hydrolytic stability and tribological properties of novel borate esters containing nitrogen as lubricant additives, 135
Lubrication
Influence of surface wettability on friction and wear tests, 57
Lubrication additives
Study on tribological properties of 2,5-dialkoxymethylthio-1,3,4-thiadiazoles, 129

Materials
The wear of unlubricated metallic spur gears, 103
Membership function
Fuzzy synthetic decision-making system in ferrographic analysis, 1
Microalloying
Dry sliding wear behaviour of aluminum alloy 2014 microalloyed with Sn and Ag, 84
Micro scale
A novel method to map and quantify wear on a micro-scale, 93
Microtribology
Quantitative wear analysis using atomic force microscopy, 74
Mo alloyed steels
Dry sliding wear behavior of molybdenum alloyed sintered steels, 49

Elsevier Science S.A.

Oil lubrication
Friction and wear properties in dry, water- and oil-lubricated DLC against alumina and DLC against steel contacts, 120

Particle fragmentation
Solid particle erosion of SiC and SiC–TiB_2 composite hot-pressed with Y_2O_3, 114
Particle impact
The plowing erosion of organic coatings by spherical particles, 38
Pin-on-disk tests
Friction reduction in total joint arthroplasty, 29
Plastic deformation
Solid particle erosion of SiC and SiC–TiB_2 composite hot-pressed with Y_2O_3, 114
Polymer brush
Macromodel approach to experimental study of polymer brushes rubbing, 21
Porous material
Porous aerostatic bearings–an updated review, 69
Powder metallurgy
Dry sliding wear behavior of molybdenum alloyed sintered steels, 49
Dry sliding wear behaviour of aluminum alloy 2014 microalloyed with Sn and Ag, 84

Recess action
The wear of unlubricated metallic spur gears, 103

Sintering
Dry sliding wear behaviour of aluminum alloy 2014 microalloyed with Sn and Ag, 84
Slip flow
Porous aerostatic bearings–an updated review, 69
Solid particle erosion
Solid particle erosion of SiC and SiC–TiB_2 composite hot-pressed with Y_2O_3, 114

Thiadiazole derivatives
Study on tribological properties of 2,5-dialkoxymethylthio-1,3,4-thiadiazoles, 129
Three-dimensional profilometry
Quantitative wear analysis using atomic force microscopy, 74
Toothbrush
Macromodel approach to experimental study of polymer brushes rubbing, 21

Ultrahigh molecular weight polyethylene (UHMWPE)
Friction reduction in total joint arthroplasty, 29
Unlubricated steel gears
The wear of unlubricated metallic spur gears, 103

Water lubrication
Friction and wear properties in dry, water- and oil-lubricated DLC against alumina and DLC against steel contacts, 120
Wear
The wear of unlubricated metallic spur gears, 103
Wear behavior
Dry sliding wear behavior of molybdenum alloyed sintered steels, 49
Wear estimation
The wear of unlubricated metallic spur gears, 103
Wear measurement
Quantitative wear analysis using atomic force microscopy, 74
Wettability
Influence of surface wettability on friction and wear tests, 57

XPS analysis
Study on tribological properties of 2,5-dialkoxymethylthio-1,3,4-thiadiazoles, 129